

Heterogeneous Vinyl Sheet

# TIMBERLINE®



Heterogeneous Vinyl Sheet

# TIMBERLINE<sup>®</sup>

Sophisticated Design Meets Long-Life Performance

Armstrong Heterogeneous product does it all—performing beautifully in demanding spaces while offering the widest selection of on-trend colors and patterns.

Armstrong Timberline offers realistic wood looks using the inspiration of traditional and exotic species. The Timberline collection is a part of our Continuum Solutions, harmonizing products across the Armstrong Flooring portfolio.

Explore endless design possibilities by pairing with other Armstrong vinyl products to create continuity of design and performance on your next one of a kind design project.






2.0/0.3mm K6122-01  
2.0/0.55mm K6222-01

Lighting (Maple)



2.0/0.3mm K6122-02  
2.0/0.55mm K6222-02

You better (Maple)



2.0/0.3mm K6122-03  
2.0/0.55mm K6222-03

Smokin (Maple)



2.0/0.3mm K6126-01  
2.0/0.55mm K6226-01

Sepia (Walnut)



2.0/0.3mm K6123-01  
2.0/0.55mm K6223-01

Like a rock (Oak)



2.0/0.3mm K6123-04  
2.0/0.55mm K6223-04

Bona fide (Oak)

TIMBERLINE® Heterogeneous Vinyl Sheet



2.0/0.3mm K6123-06  
2.0/0.55mm K6223-06

Origin (Oak)



2.0/0.3mm K6123-02  
2.0/0.55mm K6223-02

Righteous (Oak)



2.0/0.3mm K6122-04  
2.0/0.55mm K6222-04

Knock on wood (Maple)



2.0/0.3mm K6127-01  
2.0/0.55mm K6227-01

Naturally (Cherry)



2.0/0.3mm K6126-02  
2.0/0.55mm K6226-02

Ginger (Walnut)



2.0/0.3mm K6123-03  
2.0/0.55mm K6223-03

Solid (Oak)



2.0/0.3mm K6123-05  
2.0/0.55mm K6223-05

Golden side (Oak)



2.0/0.3mm K6127-02  
2.0/0.55mm K6227-02

Ruddy cheeks (Cherry)



2.0/0.3mm K6123-07  
2.0/0.55mm K6223-07

Level headed (Oak)



2.0/0.3mm K6126-04  
2.0/0.55mm K6226-04

Coffee bean (Walnut)



2.0/0.3mm K6122-05  
2.0/0.55mm K6222-05

Thunder (Maple)



2.0/0.3mm K6126-03  
2.0/0.55mm K6226-03

Char brown (Walnut)



2.0/0.3mm K6122-06  
2.0/0.55mm K6222-06

Cabernet (Maple)



2.0/0.3mm K6127-03  
2.0/0.55mm K6227-03

Cerise (Cherry)



Technical Data

Characteristics	Standard	Unit	Result
Type of flooring	ISO 10582 / EN 649		Heterogeneous Vinyl Sheet
Surface treatment			PUR
Pattern			Wood
Safety criteria			
Flammability	GB 8624-2012	class	B1
Slip resistance	DIE 51130	group	R9
Dynamic coefficient of friction	EN 13893	class	DS
Limit of harmful substances	GB 18586		PASS
Performance behaviour			
Roll dimensions	ISO 24341 / EN 426	m	2.0m×15/20m
Overall thickness	ISO 24346 / EN 428	mm	2.0
Thickness of wear layer	ISO 24340 / EN 429	mm	0.3/0.55
Residual indentation	ISO 24343-1 / EN 433	mm	0.02
Dimensional stability	ISO 23999 / EN 434	%	<0.4
Wear resistance	EN 649	group	T
Color fastness	ISO 105-B02	rating	≥6
Castor Wheel Test	EN 425		Suitable
Chemical resistance	EN 423		No stain 0
Classification			
Commercial very heavy	ISO 10874-EN 685	class	Class 31/33

Additional property

- Castor chair ✓
- Underfloor heating ✓
- Antistatic behaviour ✓
- Chemical resistance ✓

COMMERCIAL – MODERATE

COMMERCIAL – HEAVY  
(0.55mm)

INDUSTRIAL – GENERAL  
(0.55mm)

SLIP RESISTANCE

SLIP RESISTANCE  
(DRY CONDITION)

WEAR BY CASTOR CHAIRS

RESIDUAL INDENTATION

ANTISTATIC

COLOR FASTNESS

UNDERFLOOR HEATING

CHEMICAL RESISTANCE

10 YEARS WARRANTY AVAILABLE

Sample piece in this sample folder is only for color reference, the structure of which may be varied in actual product supplying.

[www.armstrongflooring.asia](http://www.armstrongflooring.asia)  
 ARMSTRONG FLOORING OFFICES:

	TEL:	FAX:
Hong Kong	(852) 2585 7800	(852) 2598 7181
Singapore	(65) 6604 6836	(65) 6604 6835
Malaysia	(60) 379 323 331	(60) 379 606 331
Indonesia	(62) 21 2965 7866	(62) 21 2965 7867