All Purpose Wallpaper Adhesive
Product Information Sheet

Description

Bartoline All Purpose Wallpaper Adhesive is a traditional easy to mix flake type product, containing chemically incorporated anti-mould additives. With excellent easy slip properties, it may be used for all wallpapers including woodchip, washables, vinyls and heavily embossed. Also ideal for applying polystyrene tiles and for use as a size for sealing new plaster walls prior to papering.

Directions

Surface Preparation

Ensure surface is clean, dry and free from dust. Treat areas where there is a high risk of mould growth with a high quality fungicidal wash. Size absorbent surfaces before use and allow to dry completely before papering.

Mixing

For the quantity of cold water to use, see table below. Sprinkle contents of sachet into water stirring quickly for 30 seconds to disperse. Leave to stand for 3 minutes then stir again thoroughly. The paste is then ready to use.

Pasting

Follow the wallpaper manufacturers instructions. Soak heavily and embossed paper until supple. Paste generously, particularly the edges and do not overspread. Take care to keep the front surface of the paper free from paste, removing any splashes with a damp sponge.

Dilution Ratios

3 roll

APPLICATION	Quantity of cold Water to use per sachet	Approximate Coverage *
Normal wallpapers Including woodchip	3 pints / 1.7 litres	2 – 3 rolls
Vinyl wallcoverings, Washables & Novamura	2½ pints / 1.4 litres	2 rolls
Blown vinyl wallcoverings	2½ pints / 1.4 litres	2 rolls
Embossed papers (Eg Anaglypta)	2 pints / 1.1 litres	1 roll
Heavy embossed papers (Eg Supaglypta)	1¾ pints / 1 litre	1 roll
Polystyrene tiles	2 pints / 1.1 litres	40 sq ft – 12 m2
NB: These figures are intended as a guide only. Sizing: When sizing walls before papering, mix contents of sachet into 4 pints (2.2 litres) of cold water		

5 Roll

APPLICATION	Quantity of cold Water to use per sachet	Approximate Coverage *
Normal wallpapers Including woodchip	**6 pints / 3.5 litres**	**4 – 5 rolls**
Vinyl wallcoverings, Washables & Novamura	**5 pints / 3 litres**	**4 rolls**
Blown vinyl wallcoverings	**5 pints / 3 litres**	**4 rolls**
Embossed papers (Eg Anaglypta)	**4 pints / 2.5 litres**	**2 – 2½ rolls**
Heavy embossed papers (Eg Supaglypta)	**3.5 pints / 3 litres**	**1¾ – 2 rolls**
Polystyrene tiles	**4 pints / 2.5 litres**	**80 sq ft – 24 m2**
NB: These figures are intended as a guide only. Sizing: When sizing walls before papering, mix contents of sachet into 8 pints (4½ litres) of cold water		

10 Roll

APPLICATION	Quantity of cold Water to use per sachet	Approximate Coverage *
Normal wallpapers Including woodchip	**12 pints / 7 litres**	**8 – 10 rolls**
Vinyl wallcoverings, Washables & Novamura	**10 pints / 6 litres**	**8 rolls**
Blown vinyl wallcoverings	**10 pints / 6 litres**	**8 rolls**
Embossed papers (Eg Anaglypta)	**8 pints / 4½ litres**	**4 – 5 rolls**
Heavy embossed papers (Eg Supaglypta)	**7 pints / 4 litres**	**3½ - 4 rolls**
Polystyrene tiles	**8 pints / 4½ litres**	**48 m2**
NB: These figures are intended as a guide only. Sizing: When sizing walls before papering, mix contents of sachet into 16 pints (9 litres) of cold water		

30 Roll as per 10 roll each sachet is sufficient for up to 10 rolls each box contains 3 X 10 Roll sachets.

Health and Safety Information

Keep out of reach of children and animals. Contains fungicide. Avoid contact with eyes. In case of contact with eyes, rinse immediately with water and if necessary seek medical advice. Remove splashes from skin with soap and water. Store in a dry place.

Technical Data

Physical State:	Fine scalings
Form/colour:	Off White
Odour:	Nil
Solubility in Water:	Soluble
Viscosity: (Spindle TB/Speed 10)	40 - 80 *
Specific Gravity:	0.910 – 1.110*
pH:	9.0 – 12.0*

* 7.5g of adhesive to 250ml of water mixed for 30, left to stand for 3 minutes.

Packing Specification

Available in handy counter display boxes, as well as standard cartons.

Product / Pack Size	Quantity Per Carton	Cartons Per Pallet.
3 roll / 3 pint sachet	100	30
3 roll / 3 pint sachet (display box)	30	90
5 roll / 6 pint sachet	80	30
5 roll / 6 pint sachet (display box)	25	90
10 roll / 12 pint sachet	48	30
10 roll / 12 pint sachet (display box)	12	90
30 roll/36 pint (box of 3 X 10 roll)	24	14

Customs Tariff Code

3505 1050

Shipping Classification

This product is classed as non-hazardous for shipping purposes.